

TABLE OF CONTENTS

Volume I

Section	Page
1.0 Introduction	1.0-1
2.0 Executive Summary	2.0-1
3.0 Project Description	3.0-1
4.0 Environmental Impact Analysis.....	4.0-1
4.1 Aesthetics	4.1-1
4.2 Air Quality	4.2-1
4.3 Cultural Resources.....	4.3-1
4.4 Energy.....	4.4-1
4.5 Geology and Soils.....	4.5-1
4.6 Greenhouse Gases.....	4.6-1
4.7 Hazards and Hazardous Materials.....	4.7-1
4.8 Hydrology and Water Quality	4.8-1
4.9 Land Use.....	4.9-1
4.10 Noise	4.10-1
4.11 Population, Housing and Employment	4.11-1
4.12 Public Services	4.12-1
4.12.1 Fire Protection	4.12.1-1
4.12.2 Police Protection.....	4.12.2-1
4.12.3 Education	4.12.3-1
4.12.4 Library Services.....	4.12.4-1
4.13 Recreation.....	4.13-1
4.14 Traffic and Circulation	4.14-1
4.15 Utilities and Service Systems	4.15-1
4.15.1 Electricity and Natural Gas	4.15.1-1
4.15.2 Solid Waste	4.15.2-1
4.15.3 Wastewater	4.15.3-1
4.15.4 Water Supply.....	4.15.4-1
5.0 Alternatives	5.0-1
6.0 Other CEQA Considerations	6.0-1
7.0 Effects Found Not to be Significant	7.0-1
8.0 List of EIR Preparers	8.0-1
9.0 Persons Consulted and References	9.0-1

Appendices

Volume II

- 1.0 Notice of Preparation and Comments
 - Notice of Preparation
 - Initial Study
 - Comments on Notice of Preparation
- 4.2 Air Quality and Greenhouse Gas Calculations
 - CalEEMod Model Output
 - CO Hotspots
- 4.12 Correspondence with Public Service Agencies
 - Los Angeles County Fire Department
 - Azusa Police Department
 - Azusa Unified School District
 - Azusa City Library
- 4.14 Traffic Analysis Report
 - 2015 Azusa TOD Specific Plan Traffic Analysis Report, prepared by Fehr and Peers
- 4.15 Utilities
 - Southern California Gas Company
 - Wastewater Loadings for Each Class of Land Use
 - City of Azusa Sewer Master Plan
 - Existing Conditions and Wastewater Generation
 - Water Supply Assessment

LIST OF FIGURES

Figure		Page
2.0-1	Azusa TOD Specific Plan Area District Map.....	2.0-3
3.0-1	Regional Vicinity Map.....	3.0-4
3.0-2	Specific Plan Area Location Map.....	3.0-5
3.0-3	Azusa TOD Specific Plan Area District Map.....	3.0-6
3.0-4	Gold Line District.....	3.0-11
3.0-5	Downtown District.....	3.0-13
3.0-6	Downtown Expansion District.....	3.0-15
3.0-7	Route 66 District.....	3.0-17
3.0-8	Transition District.....	3.0-19
3.0-9	Civic District.....	3.0-21
3.0-10	Cumulative Project Locations.....	3.0-29
4.1-1	Azusa TOD Specific Plan Aerial.....	4.1-3
4.1-2	Gold Line District Proposed Welcome Plaza.....	4.1-16
4.1-3	Example of Permitted Uses in the Gold Line District.....	4.1-17
4.1-4	Potential Plaza in the Downtown District.....	4.1-18
4.1-5	Examples of Permitted Uses in the Downtown District.....	4.1-19
4.1-6	Examples of Mixed Use Developments Permitted in the Downtown Expansion District.....	4.1-21
4.1-7	Route 66 Illustrative View.....	4.1-22
4.1-8	Examples of Permitted Uses in the Transition District.....	4.1-24
4.1-9	Existing Public and Recreation Facilities in the Civic District.....	4.1-25
4.3-1	City Designated Historic Properties and Districts.....	4.3-5
4.5-1	Earthquake Zones in the City of Azusa.....	4.5-5
4.7-1	Truck Routes in Azusa.....	4.7-5
4.7-2	Listed Sites in the Azusa TOD Specific Plan Area.....	4.7-9
4.8-1	Hydrologic Features.....	4.8-2
4.8-2	City of Azusa and Los Angeles County Flood Control District Drainage Infrastructure.....	4.8-5
4.8-3	San Gabriel River.....	4.8-8
4.9-1	Existing Land Uses in the City of Azusa.....	4.9-2
4.9-2	Existing Zoning in the City of Azusa.....	4.9-3
4.9-3	Azusa TOD Area Plan Districts Map.....	4.9-20
4.10-1	Examples of Typical A-Weighted Sound Levels.....	4.10-3
4.10-2	Noise Attenuation by Barriers and Elevation Differences.....	4.10-4
4.11-1	San Gabriel Valley Council of Governments.....	4.11-3
4.12-1-1	Los Angeles County Fire Stations Serving the Plan Area.....	4.12.1-3
4.12.1-2	City of Azusa Fire Hazard Severity Zones.....	4.12.1-4
4.12.2-1	Location of Azusa Police Station.....	4.12.2-4
4.12.3-1	AUSD School Locations.....	4.12.3-3
4.12.4-1	Location of Azusa Public Library.....	4.12.4-2
4.13-1	City of Azusa Parks and Recreation Facilities.....	4.14-4
4.14-1	Azusa TOD Specific Plan Study Intersections.....	4.14-3
4.14-2	Study Intersections Existing Peak Hour Traffic Volumes and Lane Configurations.....	4.14-7
4.14-3	Peak Hour Traffic Volumes and Lane Configurations Project Only Project Conditions.....	4.14-22
4.14-4	Peak Hour Traffic Volumes and Lane Configurations Cumulative Plus Project Conditions.....	4.14-26

LIST OF FIGURES (continued)

4.14-5	Peak Hour Traffic Volumes and Lane Configurations: Cumulative Base Conditions	4.14-37
4.14-6	Peak Hour Traffic Volumes and Lane Configurations: Cumulative Plus Project Conditions.....	4.14-38
4.15.1-1	Southern California Gas Company Natural Gas Lines Location in the City of Azusa.....	4.15.1-2
4.15.1-2	Azusa TOD Specific Plan Area Natural Gas Usage	4.15.1-3
4.15.3-1	City of Azusa and LACSD Sewer Trunk Lines	4.15.3-3
4.15.3-2	City of Azusa Sewer Trunk Lines Operating Above Design Capacity	4.15.3-4
4.15.4-1	Azusa Light and Water Service Area	4.15.4-3
5.0 1	Azusa Avenue and San Gabriel Avenue Lane Configuration: Existing, Alternative 3, and Alternative 4.....	5.0-6
5.0 2	Alternative 3 Lane Configurations and Peak Hour Volumes	5.0-44
5.0 3	Alternative 3 Existing Plus Project Conditions: Lane Configurations and Peak Hour Volumes.....	5.0-45
5.0 4	Alternative 4 Lane Configurations and Peak Hour Volumes	5.0-64
5.0 5	Alternative 4 Existing Plus Project Conditions: Lane Configurations and Peak Hour Volumes.....	5.0-65

LIST OF TABLES

Table		Page
2.0-1	Specific Plan Districts, Building Footprint/Use Analysis Summary	2.0-4
2.0-2	Summary of Project Impacts, Mitigation Measures, and Residual Impacts	2.0-11
3.0-1	Specific Plan Districts, Building Footprint/Use Analysis Summary	3.0-22
3.0-2	Pending and Approved Projects in the City of Azusa	3.0-28
4.2-1	Ambient Air Quality Standards	4.2-3
4.2-2	Ambient Air Pollutant Concentrations	4.2-6
4.2-3	National and California Ambient Air Quality Standard Designations for Los Angeles County	4.2-7
4.2-4	South Coast Air Quality Management District Regional Emission Thresholds.....	4.2-14
4.2-5	Land Use and Development Under the Azusa TOD Specific Plan	4.2-18
4.2-6	Estimated Unmitigated Construction Emissions.....	4.2-19
4.2-7	Estimated Unmitigated Operational Emissions.....	4.2-20
4.2-8	Carbon Monoxide Concentrations – Future Cumulative with Project Traffic.....	4.2-22
4.2-9	Comparison of ADT to Population Growth at the Azusa TOD Specific Plan Buildout.....	4.2-25
4.3-1	City Designated Historic Properties in Azusa	4.3-6
4.3-2	Azusa TOD Specific Plan Historic Guidelines	4.3-19
4.4-1	Azusa TOD Specific Plan Proposed Development Electricity Consumption.....	4.4-10
4.4-2	Azusa TOD Specific Plan Proposed Development Natural Gas Consumption	4.4-11
4.4-3	Azusa Light and Water Department Energy Delivery from Renewable Resources.....	4.4-12
4.5-1	Geologic Units in Azusa.....	4.5-2
4.5-2	Modified Mercalli Intensity Scale	4.5-6
4.6-1	GHG Emissions in California	4.6-4
4.6-2	Comparison of Global Pre-Industrial and Current GHG Concentrations	4.6-5
4.6-3	Azusa TOD Specific Plan Estimated Construction GHG Emissions.....	4.6-21
4.6-4	Estimated Operational GHG Emissions in 2035	4.6-24
4.7-1	Permitted UST Facilities in the Azusa TOD Specific Plan Area	4.7-7
4.8-1	San Gabriel River Impaired Reaches	4.8-9
4.9-1	City of Azusa Existing Land Uses	4.9-1
4.9-2	Azusa TOD Specific Plan Districts, Building Footprint/Use Analysis Summary	4.9-7
4.9-3	SCAG Regional Transportation Plan/Sustainable Communities Strategy Goals.....	4.9-26
4.9-4	SCAG Regional Transportation Plan/Sustainable Communities Strategy Land Use Actions and Strategies	4.9-36
4.9-5	Transportation Network Actions and Strategies	4.9-40
4.9-6	Transportation Demand Management Actions and Strategies	4.9-43
4.9-7	Transportation System Management Actions and Strategies	4.9-45
4.9-8	Clean Vehicle Technology Actions and Strategies	4.9-46
4.9-9	SCAG Regional Transportation Plan/Sustainable Communities Strategies Clean Vehicle Technology Actions and Strategies	4.9-47
4.9-10	SCAG Regional Comprehensive Plan and Guide Voluntary Local Government Best Practices.....	4.9-48
4.10-1	Distance to Sensitive Receptors.....	4.10-2
4.10-2	Outside-to-Inside Noise Attenuation (dB(A))	4.10-5
4.10-3	Reference Noise Levels for Various Rail Operations	4.10-9
4.10-4	Construction Equipment 50 Foot Noise Emission Limits.....	4.10-11

4.10-5	Noise Abatement Criteria	4.10-13
--------	--------------------------------	---------

LIST OF TABLES (continued)

Table	Page	
4.10-6	Land Use Compatibility for Community Noise Environments.....4.10-15	
4.10-7	Maximum Allowable Noise Level by Receiving Land Use.....4.10-17	
4.10-8	Construction Vibrartion Levels in (PPV).....4.10-25	
4.10-9	Typical Construction Vibration Levels in (VdB).....4.10-26	
4.11-1	San Gabriel Valley: Population, Housing, and Employment Forecasts (SCAG).....4.11-2	
4.11-2	City of Azusa Population: Census and Forecasts	4.11-2
4.11-3	Azusa Population Summary (2012).....4.11-2	
4.11-4	City of Azusa Housing Units, Households, and Vacancy Rate	4.11-4
4.11-5	SCAG Households Forecasts.....4.11-4	
4.11-6	Housing Units by Type 2012	4.11-5
4.11-7	City of Azusa Housing Needs – Year 2014 to 2021	4.11-5
4.11-8	Employment in Azusa: EDD and SCAG Estimates.....4.11-6	
4.11-9	Azusa Commuting Trends.....4.11-7	
4.12.1-1	Los Angeles County Fire Stations Serving the Azusa TOD Specific Plan Area	4.12.1-1
4.12.1-2	Azusa TOD Specific Plan Proposed Development.....4.12.1-4	
4.12.3-1	AUSD 2013-2014 School Enrollment	4.12.3-2
4.13-1	City of Azusa Parks and Recreation Facilities.....4.13-2	
4.14-1	Existing Study Intersections Levels of Service.....4.14-8	
4.14-2	Levels of Service Definitions for Signalized Intersections.....4.14-15	
4.14-3	Level of Service Definitions for Un-signalized Intersections	4.14-16
4.14-4	County of Los Angeles Intersection Impact Threshold Criteria.....4.14-17	
4.14-5	Project Trip Generation Calculations	4.14-18
4.14-6	Existing With Project Study Intersection Level of Service.....4.14-27	
4.14-7	Cumulative Study Intersection Level of Service.....4.14-39	
4.15.1-1	Azusa TOD Specific Plan Districts’ Electricity Usage.....4.15.1-4	
4.15.1-2	Azusa TOD Specific Plan Districts’ Natural Gas Usage	4.15.1-3
4.15.1-3	Azusa TOD Specific Plan Proposed Development Electricity Consumption.....4.15.1-11	
4.15.1-4	Azusa TOD Specific Plan Proposed Development Natural Gas Consumption	4.15.1-12
4.15.2-1	City of Azusa 2013 Solid Waste Disposal Sites	4.15.2-2
4.15.2-2	Azusa TOD Specific Plan Districts’ Existing Development Solid Waste Generation.....4.15.2-3	
4.15.2-3	Azusa TOD Specific Plan Solid Waste Generation.....4.15.2-11	
4.15.3-1	Azusa TOD Specific Plan Districts Existing Development Wastewater Generation	4.15.3-2
4.15.3-2	Azusa TOD Specific Plan Districts Proposed Development Wastewater Generation.....4.15.3-10	
4.15.4-1	Azusa Light and Water Historic Per Capita Day Water Use	4.15-5
4.15.4-2	Water Demand Factors.....4.15-16	
4.15.4-3	Estimated Water Demand for Project.....4.15-17	
4.15.4-4	Available Water Supply for Future Projects.....4.15-18	
5.0-1	Comparison of Alternatives to the Proposed Project.....5.0-19	
5.0-2	Alternative 2: Relationship to the Project Objectives	5.0-32
5.0-3	Alternative 3: Relationship to the Project Objectives	5.0-43
5.0-4	Alternative 3: Cumulative Plus Project Intersection Level of Service.....5.0-47	
5.0-5	Alternative 3: Cumulative Plus Project Intersection Level of Service.....5.0-49	
5.0-6	Alternative 3: Relationship to the Project Objectives	5.0-52

5.0-7 Alternative 4: Existing Plus Project Intersection Level of Service Analysis.....5.0-63

LIST OF TABLES (continued)

5.0-8 Alternative 4: Cumulative Plus Project Intersection Level of Service.....5.0-67
5.0-9 Alternative 4: Cumulative Plus Project Intersection Mitigation Measure Analysis5.0-69
5.0-10 Alternative 4 Relationship to the Project Objectives5.0-72
5.0-11 Comparison of Alternatives to the Project.....5.0-76